

TERMINALS & CONNECTORS

20	Insulated Terminals
24	Un-Insulated Terminals
26	Ferrules
27	Waterproof Terminals
28	Waterproof Solder Joiners
29	Connectors
30	Connector Strips
31	Weatherproof Connectors
31	Low Voltage Plugs & Sockets
32	12V Power Accessories
37	Heavy Duty Connectors
38	Deutsch Connectors
43	Copper Lugs & Links

INSULATED TERMINALS

The wide range of KT pre-insulated and un-insulated terminals includes waterproof, fork, ring, butt splices, pin terminals, flat terminals, piggy back, knife connects and bootlace ferrules. They are available in standard or double grip and are perfect for low voltage connecting jobs.

KT crimp terminals are UL approved to ensure optimal quality. Red suits 1.5 - 2.5mm² cables, blue suits 2.5 - 4mm² cables and yellow suits 4 - 6mm² cables. See tools section for corresponding tools.

INSULATED TERMINALS - Ring

BLISTER MODEL No.	BLISTER QTY	STANDARD MODEL No.	DOUBLE GRIP MODEL No.	BULK QTY	COLOUR	SUITS STUD SIZE (mm)	SUITS WIRE SIZE (mm ²)
KTRRS3/S	8	KTRRS3	KTRRS3D	100	Red	3	1.5 - 2.5
KTRRS3.5/S	8	KTRRS3.5	KTRRS3.5D	100	Red	3.5	1.5 - 2.5
KTRRS4/S	8	KTRRS4	KTRRS4D	100	Red	4	1.5 - 2.5
KTRRS5/S	8	KTRRS5	KTRRS5D	100	Red	5	1.5 - 2.5
KTRRS6/S	8	KTRRS6	KTRRS6D	100	Red	6	1.5 - 2.5
KTRRS8/S	8	KTRRS8	KTRRS8D	100	Red	8	1.5 - 2.5
KTRRS10/S	8	KTRRS10	KTRRS10D	100	Red	10	1.5 - 2.5
KTBR3/S	8	KTBR3	KTBR3D	100	Blue	3	2.5 - 4.0
KTBR3.5/S	8	KTBR3.5	KTBR3.5D	100	Blue	3.5	2.5 - 4.0
KTBR4/S	8	KTBR4	KTBR4D	100	Blue	4	2.5 - 4.0
KTBR5/S	8	KTBR5	KTBR5D	100	Blue	5	2.5 - 4.0
KTBR6/S	8	KTBR6	KTBR6D	100	Blue	6	2.5 - 4.0
KTBR8/S	8	KTBR8	KTBR8D	100	Blue	8	2.5 - 4.0
KTBR10/S	8	KTBR10	KTBR10D	100	Blue	10	2.5 - 4.0
KTBR13/S	8	KTBR13	KTBR13D	100	Blue	13	2.5 - 4.0
KTYRS4/S	8	KTYRS4	KTYRS4D	50	Yellow	4	4.0 - 6.0
KTYRS5/S	8	KTYRS5	KTYRS5D	50	Yellow	5	4.0 - 6.0
KTYRS6/S	8	KTYRS6	KTYRS6D	50	Yellow	6	4.0 - 6.0
KTYRS8/S	8	KTYRS8	KTYRS8D	50	Yellow	8	4.0 - 6.0
KTYRS10/S	8	KTYRS10	KTYRS10D	50	Yellow	10	4.0 - 6.0
KTYRS13/S	8	KTYRS13	KTYRS13D	50	Yellow	13	4.0 - 6.0

NOTE: Crimp terminal connectors are UL Approved E135628.



INSULATED TERMINALS - Pin

MODEL No.	PACK QTY	COLOUR	PIN WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRPS	100	Red	1.9	1.5 - 2.5
KTBPS	100	Blue	1.9	2.5 - 4.0
KTYPS	100	Yellow	2.6	4.0 - 6.0



INSULATED TERMINALS - Flat Blade


MODEL No.	PACK QTY	COLOUR	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRBLS	100	Red	2.3	1.5 - 2.5
KTBBLS	100	Blue	2.3	2.5 - 4.0

NOTE: KT32050 & KT32051 crimpers are used for crimping pre-insulated terminals.



INSULATED TERMINALS - Fork

BLISTER MODEL No.	BLISTER QTY	STANDARD MODEL No.	DOUBLE GRIP MODEL No.	BULK QTY	COLOUR	SUITS STUD SIZE (mm)	SUITS WIRE SIZE (mm ²)
KTRFS3/S	8	KTRFS3	KTRFS3D	100	Red	3.2	1.5 - 2.5
KTRFS4/S	8	KTRFS4	KTRFS4D	100	Red	4.2	1.5 - 2.5
KTRFS5/S	8	KTRFS5	KTRFS5D	100	Red	5.3	1.5 - 2.5
KTBFS3/S	8	KTBFS3	KTBFS3D	100	Blue	3.2	2.5 - 4.0
KTBFS4/S	8	KTBFS4	KTBFS4D	100	Blue	4.2	2.5 - 4.0
KTBFS5/S	8	KTBFS5	KTBFS5D	100	Blue	5.3	2.5 - 4.0
KTYFS4/S	8	KTYFS4	KTYFS4D	50	Yellow	4.2	4.0 - 6.0
KTYFS5/S	8	KTYFS5	KTYFS5D	50	Yellow	5.3	4.0 - 6.0
KTYFS6/S	8	KTYFS6	KTYFS6D	50	Yellow	6.4	4.0 - 6.0



INSULATED TERMINALS - Male Blade

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRQM28/S	8	KTRQM28	100	Red	2.8	1.5 - 2.5
KTRQM48/S	8	KTRQM48	100	Red	4.8	1.5 - 2.5
KTRQM63/S	8	KTRQM63	100	Red	6.3	1.5 - 2.5
KTBQM28/S	8	KTBQM28	100	Blue	2.8	2.5 - 4.0
KTBQM48/S	8	KTBQM48	100	Blue	4.8	2.5 - 4.0
KTBQM63/S	8	KTBQM63	100	Blue	6.3	2.5 - 4.0
KTYQM63/S	8	KTYQM63	50	Yellow	6.3	4.0 - 6.0



INSULATED TERMINALS - Female Blade

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRQFM28/S	8	KTRQFM28	100	Red	2.8	1.5 - 2.5
KTRQFM48/S	8	KTRQFM48	100	Red	4.8	1.5 - 2.5
KTRQFM63/S	8	KTRQFM63	100	Red	6.3	1.5 - 2.5
KTBQFM28/S	8	KTBQFM28	100	Blue	2.8	2.5 - 4.0
KTBQFM48/S	8	KTBQFM48	100	Blue	4.8	2.5 - 4.0
KTBQFM63/S	8	KTBQFM63	100	Blue	6.3	2.5 - 4.0
KTBQFM96/S	8	KTBQFM96	100	Blue	9.6	2.5 - 4.0
KTYQFM63/S	8	KTYQFM63	50	Yellow	6.3	4.0 - 6.0
KTYQFM96/S	8	KTYQFM96	50	Yellow	9.6	4.0 - 6.0



INSULATED TERMINALS - Fully Insulated Male Blade

MODEL No.	PACK QTY	COLOUR	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRQMU63	50	Red	6.3	1.5 - 2.5
KTBMU63	50	Blue	6.3	2.5 - 4.0
KTYQMU63	50	Yellow	6.3	4.0 - 6.0



INSULATED TERMINALS - Fully Insulated Female Blade

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRQFU28/S	8	KTRQFU28	100	Red	2.8	1.5 - 2.5
KTRQFU48/S	8	KTRQFU48	100	Red	4.8	1.5 - 2.5
KTRQFU63/S	8	KTRQFU63	100	Red	6.3	1.5 - 2.5
KTBFU28/S	8	KTBFU28	100	Blue	2.8	2.5 - 4.0
KTBFU48/S	8	KTBFU48	100	Blue	4.8	2.5 - 4.0
KTBFU63/S	8	KTBFU63	100	Blue	6.3	2.5 - 4.0
KTYQFU63/S	8	KTYQFU63	50	Yellow	6.3	4.0 - 6.0
KTYQFU96/S	8	KTYQFU96	50	Yellow	9.4	4.0 - 6.0



INSULATED TERMINALS - Fully Insulated Female Blade (Transparent Nylon)

MODEL No.	PACK QTY	COLOUR	SUITS TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRQFU28N	100	Red	2.8	1.5 - 2.5
KTRQFU48N	100	Red	4.8	1.5 - 2.5
KTRQFU63N	100	Red	6.3	1.5 - 2.5
KTBFU28N	100	Blue	2.8	2.5 - 4.0
KTBFU48N	100	Blue	4.8	2.5 - 4.0
KTBFU63N	100	Blue	6.3	2.5 - 4.0
KTYQFU63N	50	Yellow	6.3	4.0 - 6.0
KTYQFU96N	50	Yellow	9.4	4.0 - 6.0



INSULATED TERMINALS - Piggy Back

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTRPB/S	8	KTRPB	100	Red	6.3	1.5 - 2.5
KTBPB/S	8	KTBPB	100	Blue	6.3	2.5 - 4.0
KTYPB/S	8	KTYPB	50	Yellow	6.3	4.0 - 6.0



NOTE: The KT32050 or KT32051 are used for crimping these terminals.

INSULATED TERMINALS - Male Bullet

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
KTRBM/S	8	KTRBM	100	Red	1.5 - 2.5
KTBBM/S	8	KTBBM	100	Blue	2.5 - 4.0
KTYBM/S	8	KTYBM	50	Yellow	4.0 - 6.0



INSULATED TERMINALS - Female Bullet

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
KTRBFM/S	8	KTRBFM	100	Red	1.5 - 2.5
KTBBFM/S	8	KTBBFM	100	Blue	2.5 - 4.0
KTYBFM/S	8	KTYBFM	50	Yellow	4.0 - 6.0



INSULATED TERMINALS - Butt Splice

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
KTRBS/S	8	KTRBS	100	Red	1.5 - 2.5
KTBS/S	8	KTBS	100	Blue	2.5 - 4.0
KTYBS/S	8	KTYBS	50	Yellow	4.0 - 6.0



INSULATED TERMINALS - Seamless Butt Splice

MODEL No.	PACK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
KTRBSST	100	Red	1.5 - 2.5
KTBSST	100	Blue	2.5 - 4.0
KTYBSST	50	Yellow	4.0 - 6.0



INSULATED TERMINALS - Nylon Butt Splice

MODEL No.	PACK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
KTRBSSTN	100	Red	1.5 - 2.5
KTBSSTN	100	Blue	2.5 - 4.0
KTYBSSTN	50	Yellow	4.0 - 6.0



INSULATED TERMINALS - Flag

MODEL No.	PACK QTY	COLOUR	SUITS TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTFLAG6.3R	100	Red	6.3	1.5 - 2.5
KTFLAG6.3B	100	Blue	6.3	2.5 - 4.0



INSULATED TERMINALS - Power Take Off

BLISTER MODEL No.	BLISTER QTY*	BULK MODEL No.	BULK QTY	COLOUR	SUITS WIRE SIZE (mm ²)	MATES WITH TAB SIZE (mm)
KTPT01S	6+6	KTPT01	100	Red	1.5 - 2.5	6.3
KTPT02S	6+6	KTPT02	100	Blue	2.5 - 4.0	6.3
KTPT05S	6+6	KTPT05	25	Yellow	4.0 - 6.0	6.3

NOTE: Power take off terminals mate with male 6.3mm tabs for connecting into existing wiring.
*The Blister packs come with 6 x Power Take off terminals and 6 x fully insulated male mates.



INSULATED TERMINALS - End Splice

MODEL No.	PACK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
KTES1	100	Opaque	0.5 - 1.0
KTES2	100	Opaque	1.5 - 2.5
KTES5	50	Opaque	4.6 - 10.0
KTES8	50	Opaque	10.0



INSULATED TERMINALS - Scotch Locks

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
-	-	KTSL1	100	Red or White	1.5 - 2.5
KTSL2S	12	KTSL2	100	Blue	2.5 - 4.0
-	-	KTSL5	100	Yellow	4.0 - 6.0



UN-INSULATED TERMINALS - Ring

MODEL No.	PACK QTY	SUITS STUD SIZE (mm)	SUITS WIRE SIZE (mm ²)
KTUR1-3.2	100	3.2	0.5 - 1.5
KTUR1-3.5	100	3.7	0.5 - 1.5
KTUR1-4	100	4.2	0.5 - 1.5
KTUR1-5	100	5.3	0.5 - 1.5
KTUR1-6	100	6.4	0.5 - 1.5
KTUR1-8	100	8.5	0.5 - 1.5
KTUR2-5	100	5.3	2.5 - 4.0
KTUR2-6	100	6.4	2.5 - 4.0
KTUR2-8	100	8.5	2.5 - 4.0
KTUR5-4	100	4.2	4.0 - 6.0
KTUR5-5	100	5.3	4.0 - 6.0
KTUR5-6	100	6.4	4.0 - 6.0
KTUR5-8	100	8.5	4.0 - 6.0
KTUR5-10	100	10.5	4.0 - 6.0



NOTE: KT32052 or KT32058 crimper is used for crimping un-insulated terminals. Refer to page 170 & 171.

UN-INSULATED TERMINALS - Male Blade

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)	MATERIAL
-	-	KTUQM28	100	2.8	0.8 - 1.5	Nickel Plated
-	-	KTUQM48	100	4.8	0.8 - 1.5	Nickel Plated
-	-	KTUQM63	100	6.3	0.8 - 1.5	Nickel Plated
KTUQM63L/S	8	KTUQM63L	100	6.5	0.8 - 1.5	Tinned Brass
-	-	KTUQM63LX	100	6.5	1.5 - 3.0	Tinned Brass
-	-	KTUQM94L	100	9.4	1.8 - 3.0	Tinned Brass



With locking tongue on KTUQM63L, KTUQM63LX & KTUQM94L for use with QK series housings. Refer to page 29.

UN-INSULATED TERMINALS - Female Blade

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	SUITS TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)	MATERIAL
-	-	KTUQFM28	100	2.8	0.8 - 1.5	Nickel Plated
-	-	KTUQFM48	100	4.8	0.8 - 1.5	Nickel Plated
-	-	KTUQFM63	100	6.3	0.8 - 1.5	Nickel Plated
KTUQFM63L/S	-	KTUQFM63L	100	6.3	0.8 - 1.5	Tinned Brass
-	-	KTUQFM63L-2	100	6.3	0.8 - 1.5	Tinned Brass
-	-	KTUQFM63LX	100	6.3	1.5 - 3.0	Tinned Brass
-	-	KTUQFM94L	100	9.4	1.5 - 3.0	Tinned Brass



With locking tongue on KTUQFM63L, KTUQFM63L-2, KTUQFM63LX & KTUQFM94L to be used with QK1 Series Housings. Refer to page 29.

UN-INSULATED TERMINALS - Male & Female Bullet

MODEL No.	PACK QTY	TYPE	SUITS WIRE SIZE (mm ²)	MATERIAL	FIG No.
KTUBM	100	Male	0.8 - 1.5	Brass	1
KTUBFM	100	Female	0.8 - 1.5	Brass	2



UN-INSULATED TERMINALS - Flag

MODEL No.	PACK QTY	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTFLAG6.3	100	6.3	1.5 - 2.5



UN-INSULATED TERMINALS - Insulator Sleeves

MODEL No.	PACK QTY	SUITS TERMINAL	FIG No.
KTUQFMSLEEVE	100	Female Blade	1
KTUBMSLEEVE	100	Male Blade or Bullet	2
KTUBFMSLEEVE	100	Female Bullet	3
KTFLAGSLEEVE	100	Flag	4



UN-INSULATED TERMINALS - Piggy Back

MODEL No.	PACK QTY	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTUPB	100	6.3	1.5 - 3.0



FERRULES - Bootlace

MODEL No.	SUITS WIRE SIZE (mm ²)	COLOUR	PKT QTY
KTBL0.35	0.25 - 0.34	PINK	100
KTBL0.5	0.5	WHITE	100
KTBL0.5L	0.5	WHITE	100
KTBL0.75	0.75	BLUE	100
KTBL0.75L	0.75	BLUE	100
KTBL1.0	1.0	RED	100
KTBL1.0L	1.0	RED	100
KTBL1.5	1.5	BLACK	100
KTBL1.5L	1.5	BLACK	100
KTBL2.5	2.5	GREY	100
KTBL2.5L	2.5	GREY	100
KTBL4.0	4.0	ORANGE	100
KTBL4.0L	4.0	ORANGE	100
KTBL6.0	6.0	GREEN	100
KTBL10.0	10.0	BROWN	50
KTBL10.0L	10.0	BROWN	50
KTBL16.0	16.0	WHITE	50
KTBL16.0L	16.0	WHITE	50
KTBL25.0	25.0	BLACK	50
KTBL25.0L	25.0	BLACK	50
KTBL35.0	35.0	RED	50
KTBL35.0L	35.0	RED	50



FERRULES - Twin End Bootlace

MODEL No.	SUITS WIRE SIZE (mm ²)	COLOUR	PKT QTY
KTBL0.75D	2 x 0.75	GREY	100
KTBL1.0D	2 x 1.0	RED	100
KTBL1.5D	2 x 1.5	BLACK	100
KTBL2.5D	2 x 2.5	BLUE	100
KTBL4.0D	2 x 4.0	GREY	100
KTBL6.0D	2 x 6.0	YELLOW	100



Twin end Ferrules are designed for two wires to be inserted

WATERPROOF TERMINALS

Waterproof Terminals are ideal for Automotive and Marine applications where corrosion of connections may be a common problem.

KT Waterproof Terminals shrink when connection is heated up using a gas torch. This creates a fast, waterproof, electrically reliable and fully insulated connection without the use of a soldering iron, crimping tool or solder. The KT Mini Gas Torch (Model No. KTTORCHM) is ideal for use with Waterproof Terminals.



WATERPROOF TERMINALS - Ring

MODEL No.	PACK QTY	COLOUR	SUITS STUD SIZE (mm)	SUITS WIRE SIZE (mm ²)
KTWPR1-3	100	Red	3	1.5 - 2.5
KTWPR1-4	100	Red	4.2	1.5 - 2.5
KTWPR1-5	50	Red	5.3	1.5 - 2.5
KTWPR2-3.5	50	Blue	3.7	2.5 - 4.0
KTWPR2-4	50	Blue	4.2	2.5 - 4.0
KTWPR2-6	50	Blue	6.4	2.5 - 4.0
KTWPR2-8	50	Blue	8.5	2.5 - 4.0
KTWPR2-10	50	Blue	10.5	2.5 - 4.0
KTWPR5-4	50	Yellow	4.2	4.0 - 6.0
KTWPR5-6	50	Yellow	6.4	4.0 - 6.0
KTWPR5-8	50	Yellow	8.5	4.0 - 6.0
KTWPR5-10	50	Yellow	10.5	4.0 - 6.0



WATERPROOF TERMINALS - Fork

MODEL No.	PACK QTY	COLOUR	SUITS STUD SIZE (mm)	SUITS WIRE SIZE (mm ²)
KTWPF2-3.5	50	Blue	3.7	2.5 - 4.0
KTWPF2-4	50	Blue	4.2	2.5 - 4.0
KTWPF2-5	50	Blue	5.3	2.5 - 4.0



WATERPROOF TERMINALS - Male Blade

MODEL No.	PACK QTY	COLOUR	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTWPM1-6	50	Red	6.3	1.5 - 2.5
KTWPM2-6	50	Blue	6.3	2.5 - 4.0
KTWPM5-6	50	Yellow	6.3	4.0 - 6.0



WATERPROOF TERMINALS - Female Blade

MODEL No.	PACK QTY	COLOUR	SUITS TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTWPFF1-6	50	Red	6.3	1.5 - 2.5
KTWPFF2-6	50	Blue	6.3	2.5 - 4.0
KTWPFF5-6	50	Yellow	6.3	4.0 - 6.0



WATERPROOF TERMINALS - Bullet

MODEL No.	PACK QTY	TYPE	COLOUR	TAB WIDTH (mm)	SUITS WIRE SIZE (mm ²)
KTWPBM2-5	50	Male	Blue	6.3	2.5 - 4.0
KTWPBFM2-5	50	Female	Blue	6.3	2.5 - 4.0



WATERPROOF TERMINALS - Butt Splices

BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS WIRE SIZE (mm ²)	LENGTH (mm)
KT21510S	5	KTWPRBS	100	Red	1.5 - 2.5	2.8
KT21511S	5	KTWPBBS	50	Blue	2.5 - 4.0	4.8
KT21512S	5	KTWPYBS	50	Yellow	4.0 - 6.0	6.3



WATERPROOF SOLDER JOINERS

Waterproof Solder Joiners combine all the advantages of heat shrink, low-melt solder and waterproofing protection glands, creating a fast, waterproof, electrically reliable and fully insulated connection without the use of a soldering iron, crimping tool or solder.

The KT Mini Gas Torch (Model No. KTTORCHM) is ideal for use with Waterproof Solder Joiners.



BLISTER MODEL No.	BLISTER QTY	BULK MODEL No.	BULK QTY	COLOUR	SUITS WIRE SIZE (mm ²)
KT21500S	5	KT21500	100	White	0.5 - 1.6
KT21501S	5	KT21501	100	Red	1.6 - 2.7
KT21502S	5	KT21502	50	Blue	2.7 - 4.4
KT21503S	5	KT21503	50	Yellow	4.4 - 6.9

CONNECTOR HOUSINGS - QK/250 Series

WHITE MODEL No.	BLACK MODEL No.	TYPE	PINS	FIG No.
KTHC1FL	KTHC1FL-B	Female	1	2
KTHC1ML	KTHC1ML-B	Male	1	1
KTHC2F	-	Female - No Latch	2	-
KTHC2M	-	Male - No Latch	2	-
KTHC2FL	KTHC2FL-B	Female	2	4
KTHC2ML	KTHC2ML-B	Male	2	3
KTHC3FL	KTHC3FL-B	Female	3	-
KTHC3ML	KTHC3ML-B	Male	3	-
KTHC4FL	KTHC4FL-B	Female	4	6
KTHC4ML	KTHC4ML-B	Male	4	5
KTHC6FL	KTHC6FL-B	Female	6	-
KTHC6ML	KTHC6ML-B	Male	6	-
KTHC8FL	KTHC8FL-B	Female	8	-
KTHC8ML	KTHC8ML-B	Male	8	-



FIG No. 1

FIG No. 2



FIG No. 3

FIG No. 4



FIG No. 5

FIG No. 6

NOTE: Use with Male and Female Un-insulated Blade Terminals found on page 25.

CONNECTOR HOUSINGS - QK/250 Series Blister Packs

BLISTER MODEL No.	INCLUDES	PINS	FIG No.
KTHC1S	Male & Female Housing & Terminals	1	1
KTHC2S	Male & Female Housing & Terminals	2	2
KTHC3S	Male & Female Housing & Terminals	3	-
KTHC4S	Male & Female Housing & Terminals	4	3
KTHC6S	Male & Female Housing & Terminals	6	-
KTHC8S	Male & Female Housing & Terminals	8	-



FIG No. 1



FIG No. 2



FIG No. 3

CONNECTOR HOUSINGS - QK/250 Series

WHITE MODEL No.	PACK QTY	TYPE	PINS	FIG No.
KTQL1M	10	Male	1	1
KTQL1F	10	Female	1	2
KTQL2M	10	Male	2	3
KTQL2F	10	Female	2	4

NOTE: Use with Male and Female Un-insulated Blade Terminals found on page 25.



FIG No. 1

FIG No. 2



FIG No. 3

FIG No. 4

CONNECTOR HOUSINGS - QL/312 Series Blister Packs

BLISTER MODEL No.	INCLUDES	PINS	FIG No.
KTQL1	Male & Female Housing & Terminals	1	1
KTQL2	Male & Female Housing & Terminals	2	2



FIG No. 1



FIG No. 2

QUICK CONNECTOR STRIPS

MODEL No.	PACK QTY	POLES	SUITS TAB (mm)	FIG No.
KTQCS2/1	10	2 into 1	6.3	1
KTQCS12	10	12	6.3	2



FIG No. 1



FIG No. 2

SCREW CONNECTOR STRIPS

MODEL No.	PACK QTY	AMPS	VOLTS	SUITS WIRE SIZE (mm ²)	FIG No.
KTSC01	1	6A	400V	1.5	-
KTSC02	1	10A	400V	2.5	-
KTSC22	1	35A	600V	6.0	1
KTSC42	1	50A	600V	10.0	2



FIG No. 1



FIG No. 2

BP SCREW CONNECTORS

MODEL No.	DESCRIPTION	PACK QTY	SUITS WIRE SIZE (mm ²)	FIG No.
KTSC1S	240V rated single screw connector	100	2 x 4.59	1
KTSC2D	240V rated double screw connector	50	3 x 4.59	2



FIG No. 1



FIG No. 2

WEATHER PACKS

BLISTER MODEL No.	BULK MODEL No.	PINS	TYPE	INCLUDES
KT2WPS	KT2WP	2	Inline	Male & Female Housing & Terminals with grommets
KT3WPS	KT3WP	3	Inline	Male & Female Housing & Terminals with grommets
KT4WPS	KT4WP	4	Inline	Male & Female Housing & Terminals with grommets
KT6WPS	KT6WP	6	Inline	Male & Female Housing & Terminals with grommets



WEATHERPROOF HARNESS CONNECTORS

Model No. KT70010/S (Retail Blister)
KT70010 (Bulk)

2 Way Weatherproof Harness Connector

- Rated to 16A at 12V
- Total cable length 600mm



Model No. KT70011/S (Retail Blister)
KT70011 (Bulk)

3 Way Weatherproof Harness Connector

- Rated to 16A at 12V
- Total cable length 600mm



Model No. KT70012/S (Retail Blister)
KT70012 (Bulk)

4 Way Weatherproof Harness Connector

- Rated to 16A at 12V
- Total cable length 600mm



LOW VOLTAGE PLUGS & SOCKETS

Model No. KTLVP1 (Retail Blister)
Low Voltage Flexible Plug

- 45 Amps at 12V, 15 Amps at 32V
- Suits 2 core cable
- Material: Polyethylene & ABS plastic
- 2 x Polarised pins
- Square, easy grip shape



Model No. KTLVS2 (Retail Blister)
Low Voltage Flexible Socket

- 45 Amps at 12V, 15 Amps at 32V
- Cord extension
- Suits 2 core cable
- Material: Polyethylene & Clear PVC
- 2 x Polarised pins
- Square, easy grip shape



Model No. KTLVS1 (Retail Blister)
Low Voltage Front Connecting Surface Socket

- 45 Amps at 12V, 15 Amps at 32V
- Suits 2 core cable
- Material: Polyethylene
- 2 x Polarised pins



12V POWER ACCESSORIES

Model No. KT70553 (Retail Blister) 300mm, 50 Amp Extension with Ring Terminals

- Lead length: 300mm
- 50 Amp to 15 Amp heavy duty connector lead
- 8mm² Battery cable
- 8mm Ring terminals

For automotive, caravan, 4WD or industrial connections requiring a 50 Amp to 15 Amp 12V power supply.



Model No. KT70555 (Retail Blister) 300mm, 50 Amp to 15 Amp Accessory Socket

- Lead length: 300mm
- 50 Amp to 15 Amp heavy duty connector lead
- 5mm Auto cable (1.84mm²)
- Accessory socket

For automotive, caravan, 4WD or industrial connections requiring a 50 Amp to 15 Amp 12V power supply.



Model No. KT70558 (Retail Blister) 300mm, 50 Amp to 15 Amp Accessory Plug

- Lead length: 300mm
- 50 Amp to 15 Amp heavy duty connector lead
- 5mm Auto cable (1.84mm²)
- Accessory plug

For automotive, caravan, 4WD or industrial connections requiring a 50 Amp to 15 Amp 12V power supply.



12V POWER ACCESSORIES

Model No. KT70551 (Retail Blister) 5M, 50 Amp Heavy Duty Plug Extension Lead

- 5M, 50 Amp heavy duty connector extension lead
- 8mm² Twin sheath cable

For automotive, caravan, 4WD or industrial connections requiring a 50 Amp to 15 Amp 12V power supply.



Model No. KT70561 (Retail Blister) 300mm, 50 Amp Heavy Duty Plug to Insulated Battery Clamps

- 8mm² Battery cable
- Lead length: 300mm
- 50 Amp heavy duty plug
- Insulated battery clamps

Connect solar panels, portable fridges, compressors or inverters to a battery. For automotive, caravan, 4WD or industrial connections requiring a 50 Amp power connection.



12V POWER ACCESSORY SOCKETS

Model No. KT70500S (Retail Blister) 12V Accessory Socket, Surface Mount

- Rated to 15 Amps at 12V, 10 Amps at 24V
- Includes electrical terminals and mounting screws
- Suitable for marine applications



Model No. KT70501S (Retail Blister) 12V Accessory Socket, Flush Mount

- Rated to 15 Amps at 12V, 10 Amps at 24V
- Includes electrical terminals and mounting screws
- Suitable for marine applications



Model No. KT70502S (Retail Blister) 12V Dual USB Accessory Socket with Dual Ports, Flush Mount

- USB Rated to 1 Amp (5V) & 2.1 Amps (5V)
- Includes electrical terminals and mounting screws
- Suitable for marine applications
- LED power on indicator



Model No. KT70503S (Retail Blister) 12V Dual Accessory Socket with Dual Ports, Surface Mount

- Rated to 15 Amps at 12V, 10 Amps at 24V
- Includes electrical terminals and mounting screws
- Suitable for marine applications



12V POWER ACCESSORY SOCKETS

Model No. KT70504S (Retail Blister) 12V Dual Accessory Socket with Dual Ports, Flush Mount

- Rated to 15 Amps at 12V, 10 Amps at 24V
- Includes electrical terminals and mounting screws
- Suitable for marine applications



Model No. KT70505S (Retail Blister) 12V Accessory Socket with Dual USB, Surface Mount

- Rated to 15 Amps at 12V, 10 Amps at 24V
- USB rated to 1 Amp (5V) & 2.1 Amps (5V)
- LED power on indicator for USB
- Includes electrical terminals and mounting screws
- Suitable for marine applications



Model No. KT70506S (Retail Blister) 12V Accessory Socket with Dual USB, Flush Mount

- Rated to 15 Amps at 12V, 10 Amps at 24V
- USB rated to 1 Amp (5V) & 2.1 Amps (5V)
- LED power on indicator for USB
- Includes electrical terminals and mounting screws
- Suitable for marine applications



Model No. KT70507S (Retail Blister) 12V Accessory Socket with Voltage Meter, Surface Mount

- Rated to 15 Amps at 12V, 10 Amps at 24V
- Voltage Meter
- Includes electrical terminals and mounting screws
- Suitable for marine applications



12V ACCESSORY PLUGS & SOCKETS

Model No. KT70001/S (Retail Blister)
KT70001 (Bulk)
 Aluminium Accessory Socket

- Rated to 15A at 12V
- Spring loaded cover with rubber gasket
- Separate power and earth terminals



Model No. KT70002/S (Retail Blister)
KT70002 (Bulk)
 Thermoplastic Accessory Plug

- Rated to 15A at 12V
- Screw terminals



Model No. KT70004/S (Retail Blister)
KT70004 (Bulk)
 Cigarette Lighter Type Accessory Socket

- Rated to 15A at 12V
- Built in mounting panel



HEAVY DUTY CONNECTORS

Model No. KTHDC50/S (Grey Retail Blister)
KTHDC50 (Grey Bulk)
KTHDC50BE (Blue Bulk)
KTHDC50RD (Red Bulk)

50A Heavy Duty Connectors

- Rated to 50A at 12V
- Suits 8 B&S cable
- Includes nickel coated copper terminals
- Available in grey, blue and red
- Colour specific connections. eg; blue will not connect with red



Model No. KT70040S (Retail Blister)
 50A Heavy Duty Connector with Cover

- Rated to 50A at 12V
- Suits 8 B&S cable
- Includes nickel coated copper terminals



Model No. KT70021/S (Retail Blister)
KT70021 (Bulk 5)
 LED 50A Heavy Duty Connector

- Includes correct connection LED indicator
- Rated to 50A at 12V
- Suits 8 B&S cable
- Includes nickel coated copper terminals



HEAVY DUTY CONNECTORS

Model No. KTHDC175 (Bulk) 175A Heavy Duty Connector

- Rated to 175A at 12V
- Suits 8 B&S cable
- Includes nickel coated copper terminals



Model No. KTHDC350 (Bulk) 350A Heavy Duty Connector

- Rated to 350A at 12V
- Suits 00 B&S cable
- Includes nickel coated copper terminals



HEAVY DUTY CONNECTOR ACCESSORIES

Model No. KTHDC50C/S (Retail Blister) KTHDC50C (Black Bulk) KTHDC50C-R (Red Bulk) Rubber Cover to suit 50A Heavy Connectors



Model No. KTHDC175C/S (Retail Blister) KTHDC175C (Bulk) Rubber Cover to suit 175A Heavy Connectors



Model No. KTHDC50H (Bulk) Handle to suit 50A Heavy Connectors

- Allows for easier connecting and disconnecting



Model No. KTHDC175H (Bulk) Handle to suit 175A Heavy Connectors

- Allows for easier connecting and disconnecting



HEAVY DUTY CONNECTOR TERMINALS

Model No. KTHDC50T (Bulk) Terminal to suit 50A Heavy Duty Connectors



Model No. KTHDC175T (Bulk) Terminal to suit 175A Heavy Duty Connectors



DEUTSCH CONNECTORS - DT Series Kits

Deutsch Connectors represent the pinnacle of connector quality available in the market today. The latched thermoplastic housing design and unique silicone rubber wedge style grommets ensure the firmest of connection between the male and female housings. Meanwhile, the use of high quality Nickel plated terminals/pins not only ensures excellent conductivity but also the ability for superior termination with electrical cable.

KT offers the Deutsch connectors in both the standard DT series and the smaller DTM series.

Model No. KTDT2S (Retail Blister) KTDT2 (Bulk)

2 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 13A capacity each.



Model No. KTDT3S (Retail Blister) KTDT3 (Bulk)

3 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 13A capacity each.



Model No. KTDT4S (Retail Blister) KTDT4 (Bulk)

4 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 13A capacity each.



Model No. KTDT6S (Retail Blister) KTDT6 (Bulk)

6 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 13A capacity each.



Model No. KTDT8S (Retail Blister) KTDT8 (Bulk)

8 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 13A capacity each.



Model No. KTDT12S (Retail Blister) KTDT12 (Bulk)

12 Pin Deutsch Connector Kit





- Includes male and female housing with wedge grommets to suit and pins with 13A capacity each.



DEUTSCH CONNECTORS - DT Series Parts

MODEL No.	INCLUDES	FIG No.
KTDT06-2S	2 Pin Male Deutsch Connector	1
KTDT04-2P	2 Pin Female Deutsch Connector	2
KTDTW2S	Wedge to suit 2 Pin Male Deutsch Connector	3
KTDTW2P	Wedge to suit 2 Pin Female Deutsch Connector	4
KTDT06-3S	3 Pin Male Deutsch Connector	5
KTDT04-3P	3 Pin Female Deutsch Connector	6
KTDTW3S	Wedge to suit 3 Pin Male Deutsch Connector	7
KTDTW3P	Wedge to suit 3 Pin Female Deutsch Connector	8
KTDT06-4S	4 Pin Male Deutsch Connector	9
KTDT04-4P	4 Pin Female Deutsch Connector	10
KTDTW4S	Wedge to suit 4 Pin Male Deutsch Connector	11
KTDTW4P	Wedge to suit 4 Pin Female Deutsch Connector	12
KTDT06-6S	6 Pin Male Deutsch Connector	13
KTDT04-6P	6 Pin Female Deutsch Connector	14
KTDTW6S	Wedge to suit 6 Pin Male Deutsch Connector	15
KTDTW6P	Wedge to suit 6 Pin Female Deutsch Connector	16
KTDT06-8S	8 Pin Male Deutsch Connector	17
KTDT04-8P	8 Pin Female Deutsch Connector	18
KTDTW8S	Wedge to suit 8 Pin Male Deutsch Connector	19
KTDTW8P	Wedge to suit 8 Pin Female Deutsch Connector	20
KTDT06-12S	12 Pin Male Deutsch Connector	21
KTDT04-12P	12 Pin Female Deutsch Connector	22
KTDTW12S	Wedge to suit 12 Pin Male Deutsch Connector	23
KTDTW12P	Wedge to suit 12 Pin Female Deutsch Connector	24
KTDT0460-215-16141	DT series Male Pin, Size 16, 13A - Green Band	25
KTDT0462-209-16141	DT series Female Pin, Size 16, 13A - Green Band	26


**Specify quantity when ordering. Model No. is per unit (1)



DEUTSCH CONNECTORS - DTM Series Kits

Model No. KTDTM2S (Retail Blister)
KTDTM2 (Bulk)
2 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 7.5A capacity each.



Model No. KTDTM3S (Retail Blister)
KTDTM3 (Bulk)
3 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 7.5A capacity each.



Model No. KTDTM4S (Retail Blister)
KTDTM4 (Bulk)
4 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 7.5A capacity each.



Model No. KTDTM6S (Retail Blister)
KTDTM6 (Bulk)
6 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 7.5A capacity each.




Model No. KTDTM8S (Retail Blister)
KTDTM8 (Bulk)
8 Pin Deutsch Connector Kit

- Includes male and female housing with wedge grommets to suit and pins with 7.5A capacity each.



Model No. KTDTM12S (Retail Blister)
KTDTM12 (Bulk)
12 Pin Deutsch Connector Kit




- Includes male and female housing with wedge grommets to suit and pins with 7.5A capacity each.



DEUTSCH CONNECTORS - DTM Series Parts

MODEL No.	INCLUDES	FIG No.
KDSTM06-2S	2 Pin Male Deutsch Connector	1
KDSTM04-2P	2 Pin Female Deutsch Connector	2
KDSTMW2S	Wedge to suit 2 Pin Male Deutsch Connector	3
KDSTMW2P	Wedge to suit 2 Pin Female Deutsch Connector	4
KDSTM06-3S	3 Pin Male Deutsch Connector	5
KDSTM04-3P	3 Pin Female Deutsch Connector	6
KDSTMW3S	Wedge to suit 3 Pin Male Deutsch Connector	7
KDSTMW3P	Wedge to suit 3 Pin Female Deutsch Connector	8
KDSTM06-4S	4 Pin Male Deutsch Connector	9
KDSTM04-4P	4 Pin Female Deutsch Connector	10
KDSTMW4S	Wedge to suit 4 Pin Male Deutsch Connector	11
KDSTMW4P	Wedge to suit 4 Pin Female Deutsch Connector	12
KDSTM06-6S	6 Pin Male Deutsch Connector	13
KDSTM04-6P	6 Pin Female Deutsch Connector	14
KDSTMW6S	Wedge to suit 6 Pin Male Deutsch Connector	15
KDSTMW6P	Wedge to suit 6 Pin Female Deutsch Connector	16
KDSTM06-8S	8 Pin Male Deutsch Connector	17
KDSTM04-8P	8 Pin Female Deutsch Connector	18
KDSTMW8S	Wedge to suit 8 Pin Male Deutsch Connector	19
KDSTMW8P	Wedge to suit 8 Pin Female Deutsch Connector	20
KDSTM06-12S	12 Pin Male Deutsch Connector	21
KDSTM04-12P	12 Pin Female Deutsch Connector	22
KDSTMW12S	Wedge to suit 12 Pin Male Deutsch Connector	23
KDSTMW12P	Wedge to suit 12 Pin Female Deutsch Connector	24
KDSTM0460-202-20141	DTM series Male Pin, Size 20, 7.5A	25
KDSTM0462-201-20141	DTM series Female Pin, Size 20, 7.5A	26

**Specify quantity when ordering. Model No. is per unit (1)



DEUTSCH CONNECTORS - Tools

Model No. KTDT0411-310-1605

Terminal/Pin Removal Tool to suit Deutsch Connectors

- Suitable for use with DT series size 16 terminals/pins



Model No. KTDT0411-240-2005

Terminal/Pin Removal Tool to suit Deutsch Connectors


- Suitable for use with DTM series size 20 terminals/pins



Model No. KT32010

4 Way Indent Crimper

- Ratchet style crimper
- Suits solid style Deutsch terminals/pins size 12 - 20



Model No. KT32011

4 Way Indent Crimper

- Ratchet style crimper
- Suits solid style Deutsch terminals/pins size 20 - 26



COPPER LUGS - Straight Barrel

Copper lugs and links are used to connect wire to the terminating object such as a solenoid, switchboard or battery. KT's copper lugs and links are electro tin plated high conductivity with superior corrosion resistance. They are manufactured using 99.9% oxygen free copper. KT also offers flared entry lugs that have a wide open end barrel to ensure easy entry for the wire. A variety of tools including crimpers are available to use with our lugs and crimp links. Temperature rating: -55°C to 155°C.

BOXED MODEL No.	BOX QTY	BLISTER MODEL No.	BLISTER QTY	SUITS WIRE SIZE (mm ²)	SUITS STUD DIA (mm)	SUITS STUD SIZE (mm)
KTL2.5-3	100	-	-	2.4	3	2.5
KTL2.5-4	100	-	-	2.4	4	2.5
KTL2.5-5	100	-	-	2.4	5	2.5
KTL2.5-6	100	-	-	2.4	6	2.5
KTL2.5-8	100	-	-	2.4	8	2.5
KTL4-4	100	-	-	4	4	3.1
KTL4-5	100	-	-	4	5	3.1
KTL4-6	100	-	-	4	6	3.1
KTL4-8	100	-	-	4	8	3.1
KTL4-10	100	-	-	4	10	3.1
KTL6-4	100	-	-	6	4	3.7
KTL6-5	100	KTL6-5S	8	6	5	3.7
KTL6-6	100	KTL6-6S	8	6	6	3.7
KTL6-8	100	KTL6-8S	8	6	8	3.7
KTL6-10	100	KTL6-10S	8	6	10	3.7
KTL10-5	25	-	-	10	5	4.7
KTL10-6	25	KTL10-6S	6	10	6	4.7
KTL10-8	25	KTL10-8S	6	10	8	4.7
KTL10-10	25	KTL10-10S	6	10	10	4.7
KTL10-12	25	KTL10-12S	6	10	12	4.7
KTL16-0	25	-	-	16	Blank	Blank
KTL16-6	25	KTL16-6S	4	16	6	5.5
KTL16-8	25	KTL16-8S	4	16	8	5.5
KTL16-10	25	KTL16-10S	4	16	10	5.5
KTL16-12	25	KTL16-12S	4	16	12	5.5
KTL25-0	25	-	-	25	Blank	Blank
KTL25-6	25	KTL25-6S	4	25	6	7.1
KTL25-8	25	KTL25-8S	4	25	8	7.1
KTL25-10	25	KTL25-10S	4	25	10	7.1
KTL25-12	25	KTL25-12S	4	25	12	7.1
KTL35-0	25	-	-	35	Blank	Blank
KTL35-6	25	KTL35-6S	4	35	6	8.4
KTL35-8	25	KTL35-8S	4	35	8	8.4
KTL35-10	25	KTL35-10S	4	35	10	8.4
KTL35-12	25	KTL35-12S	4	35	12	8.4
KTL35-16	25	-	-	35	16	8.4



COPPER LUGS - Straight Barrel

BOXED MODEL No.	BOX QTY	BLISTER MODEL No.	BLISTER QTY	SUITS WIRE SIZE (mm ²)	SUITS STUD DIA (mm)	SUITS STUD SIZE (mm)
KTL50-0	10	-	-	50	Blank	Blank
KTL50-6	10	KTL50-6S	2	50	6	9.5
KTL50-8	10	KTL50-8S	2	50	8	9.5
KTL50-10	10	KTL50-10S	2	50	10	9.5
KTL50-12	10	KTL50-12S	2	50	12	9.5
KTL50-16	10	-	-	50	16	9.5
KTL70-0	10	-	-	70	Blank	Blank
KTL70-6	10	KTL70-6S	2	70	6	11
KTL70-8	10	KTL70-8S	2	70	8	11
KTL70-10	10	KTL70-10S	2	70	10	11
KTL70-12	10	KTL70-12S	2	70	12	11
KTL70-16	10	-	-	70	16	11
KTL95-0	10	-	-	95	Blank	Blank
KTL95-8	10	KTL95-8S	-	95	8	13.4
KTL95-10	10	KTL95-10S	-	95	10	13.4
KTL95-12	10	-	-	95	12	13.4
KTL95-16	10	-	-	95	16	13.4
KTL120-0	10	-	-	120	Blank	Blank
KTL120-8	10	-	-	120	8	15.5
KTL120-10	10	-	-	120	10	15.5
KTL120-12	10	-	-	120	12	15.5
KTL120-16	10	-	-	120	16	15.5
KTL150-0	10	-	-	150	Blank	Blank
KTL150-8	10	-	-	150	8	16.3
KTL150-10	10	-	-	150	10	16.3
KTL150-12	10	-	-	150	12	16.3
KTL150-16	10	-	-	150	16	16.3
KTL185-0	6	-	-	185	Blank	Blank
KTL185-10	6	-	-	185	10	18.4
KTL185-12	6	-	-	185	12	18.4
KTL185-16	6	-	-	185	16	18.4
KTL185-20	6	-	-	185	20	18.4
KTL240-0	3	-	-	240	Blank	Blank
KTL240-10	3	-	-	240	10	21.2
KTL240-12	3	-	-	240	12	21.2
KTL240-16	3	-	-	240	16	21.2
KTL240-20	3	-	-	240	20	21.2
KTL300-0	3	-	-	300	Blank	Blank
KTL300-10	3	-	-	300	10	23.8
KTL300-12	3	-	-	300	12	23.8



Retail Blister Packaging

COPPER LUGS - Straight Barrel

BOXED MODEL No.	BOX QTY	BLISTER MODEL No.	BLISTER QTY	SUITS WIRE SIZE (mm ²)	SUITS STUD DIA (mm)	SUITS STUD SIZE (mm)
KTL300-14	3	-	-	300	14	23.8
KTL300-16	3	-	-	300	16	23.8
KTL300-20	3	-	-	300	20	23.8
KTL400-0	3	-	-	400	Blank	Blank
KTL400-12	3	-	-	400	12	26.8
KTL500-0	3	-	-	500	Blank	Blank
KTL500-12	3	-	-	500	12	30
KTL500-16	3	-	-	500	16	30
KTL630-0	3	-	-	630	Blank	Blank



COPPER LUGS - Flared Barrel

BOXED MODEL No.	BOX QTY	SUITS WIRE SIZE (mm ²)	SUITS STUD DIA (mm)	SUITS STUD SIZE (mm)
KTL10-5BM	25	10	5	4.7
KTL10-6BM	25	10	6	4.7
KTL10-8BM	25	10	8	4.7
KTL10-10BM	25	10	10	4.7
KTL10-12BM	25	10	12	4.7
KTL16-6BM	25	16	6	5.5
KTL16-8BM	25	16	8	5.5
KTL16-10BM	25	16	10	5.5
KTL16-12BM	25	16	12	5.5
KTL25-6BM	25	25	6	7.1
KTL25-8BM	25	25	8	7.1
KTL25-10BM	25	25	10	7.1
KTL25-12BM	25	25	12	7.1
KTL35-6BM	25	35	6	8.4
KTL35-8BM	25	35	8	8.4
KTL35-10BM	25	35	10	8.4
KTL35-12BM	25	35	12	8.4
KTL35-16BM	25	35	16	8.4
KTL50-6BM	10	50	6	9.5
KTL50-8BM	10	50	8	9.5
KTL50-10BM	10	50	10	9.5
KTL50-12BM	10	50	12	9.5
KTL70-6BM	10	70	6	11
KTL70-8BM	10	70	8	11



COPPER LUGS - Flared Barrel

BOXED MODEL No.	BOX QTY	SUITS WIRE SIZE (mm ²)	SUITS STUD DIA (mm)	SUITS STUD SIZE (mm)
KTL70-10BM	10	70	10	11
KTL70-12BM	10	70	12	11
KTL70-16BM	10	70	16	11
KTL95-8BM	10	95	8	13.4
KTL95-10BM	10	95	10	13.4
KTL95-12BM	10	95	12	13.4
KTL95-16BM	10	95	16	13.4
KTL120-10BM	10	120	10	15.5
KTL120-12BM	10	120	12	15.5
KTL120-16BM	10	120	16	15.5
KTL150-10BM	10	150	10	16.3
KTL150-12BM	10	150	12	16.3



COPPER LINKS

BOXED MODEL No.	BOX QTY	BLISTER MODEL No.	BLISTER QTY	SUITS WIRE SIZE (mm ²)	BARREL ENTRY DIA (mm)
KTCLK2.5	100	-	-	2.5	2.5
KTCLK4	100	-	-	4	4
KTCLK6	100	KTCLK6S	4	6	3.7
KTCLK10	50	KTCLK10S	4	10	4.7
KTCLK16	50	KTCLK16S	3	16	5.5
KTCLK25	25	KTCLK25S	3	25	7.1
KTCLK35	25	KTCLK35S	2	35	8.4
KTCLK50	10	KTCLK50S	2	50	9.5
KTCLK70	10	-	-	70	11
KTCLK95	10	-	-	95	13.4
KTCLK120	10	-	-	120	15.5
KTCLK150	6	-	-	150	16.3
KTCLK185	6	-	-	185	18.4
KTCLK240	3	-	-	240	21.2
KTCLK300	3	-	-	300	23.8
KTCLK400	3	-	-	400	26.8
KTCLK500	3	-	-	500	30

